

Cisco

650-669

Cisco SP Video Digital Media Design(R) Specialist for SE

C. CAT D. NIT	
Answer:	A

QUESTION: 27

How many PowerVu encrypted programs can the Cisco D9854 decrypt?

- A. 1
- B. 2
- C. 8
- D. 16

Answer: A

QUESTION: 28

When adding a device to Cisco ROSA EM, what information must be known about that device?

- A. device type, address, and port connection
- B. name, size, and color
- C. device type, size, and graphic
- D. graphic, address, and size

Answer: A

QUESTION: 29

What is the airflow architecture in the Cisco D9036?

- A. front to back
- B. side to side
- C. front to side
- D. back to front

Answer: A

QUESTION: 30

How many streams can be processed by one FEC board in the DCM?

- A. 250 encoded and 250 decoded
- B. 500 encoded and 500 decoded
- C. 2000 encoded and 2000 decoded
- D. unlimited

Answer: D

QUESTION: 31

What is the maximum number of multiformat processing cards that can be installed in a Cisco D9900?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

QUESTION: 32

What is the purpose of Aggregated Service Status Reflection?

- A. device redundancy
- B. device monitoring
- C. service monitoring
- D. session building

Answer: C

QUESTION: 33

Which compression standard has the lowest latency?

- A. MPEG-2
- B. MPEG-4
- C. JPEG 2000
- D. H.264

Answer: D

Download Full Version From https://www.certkillers.net

















